



K. S. R. M. COLLEGE OF ENGINEERING

(UGC-AUTONOMOUS)

Kadapa, Andhra Pradesh, India – 516 005

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.

An ISO 14001:2004 & 9001:2015 Certified Institution



3.5.1 Revenue generated from consultancy and corporate training during the last five years

| AY 2018-19 | | | |
|---|--|-------------------------------|-------------------------|
| Name of the faculty consultant or trainer | Organization to which consultancy or corporate training provided | Dates/duration of consultancy | Amount generated in INR |
| V.V. Prasad | The Deputy Executive Engineer/Civil, Civil TLC Sub Division, A.P. Transco, Transco Nilayam, Kadapa | 5.07.2018 | 5700 |
| V.V. Prasad | The Deputy Executive Engineer/Civil, Civil TLC Sub Division, A.P. Transco, Transco Nilayam, Kadapa | 06.07.2018 | 300 |
| V.V. Prasad | Sri P. Hari Babu Reddy, Contractor, Harinadapuram, Near Nagasai Temple, SPSR Nellore District | 07.07.2018 | 1000 |
| V.V. Prasad | Dr. M. Sreenivasa Rao, Sankarapuram, Kadapa, | 09.07.2018 | 900 |
| V.V. Prasad | Dr. M. Sreenivasa Rao, Sankarapuram, Kadapa, | 19.07.2018 | 1500 |
| G. Sreenivasula Reddy | Dr. M. Sreenivasa Rao, Sankarapuram, Kadapa, | 20.07.2018 | 1550 |
| P. Suresh Praveen Kumar | Sri G. Nagendra Babu, D.No.42/144, Near More Super Market, NGO colony, Kadapa, | 20.07.2018 | 2000 |
| P. Suresh Praveen Kumar | Sri G. Nagendra Babu, D.No.42/144, Near More Super Market, NGO colony, Kadapa, | 23.07.2018 | 2400 |
| V.V. Prasad | Sri R. Srinivasa Reddy & R. Madhavi, D.No.1/712-1, Dwaraka Nagar, Kadapa, | 31.07.2018 | 5500 |
| V.V. Prasad | Sri Shaik Khadeer Ahamed, Patha Kadapa | 31.07.2018 | 1500 |
| V. Giridhar | Sri P. Hari Babu Reddy, Contractor, Harinadapuram, Near Nagasai Temple, SPSR Nellore District | 06.08.2018 | 10400 |
| V.V. Prasad | Sri P. Hari Babu Reddy, Contractor, Harinadapuram, Near Nagasai Temple, SPSR Nellore District | 06.08.2018 | 2400 |
| G. Sreenivasula Reddy | Sri P. Hari Babu Reddy, Contractor, Harinadapuram, Near Nagasai Temple, SPSR Nellore District | 07.08.2018 | 1500 |
| V.V. Prasad | Sri Balaji Constructions, D.No.43/127-1-251, Prakash Nagar, Chinnachowk, Kadapa | 01.08.2018 | 1000 |





K. S. R. M. COLLEGE OF ENGINEERING

(UGC-AUTONOMOUS)

Kadapa, Andhra Pradesh, India – 516 005

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.

An ISO 14001:2004 & 9001:2015 Certified Institution



| | | | |
|-------------------------|---|------------|-------|
| P. Suresh Praveen Kumar | The Assistant Manager, State Finance Corporation, Industrial Estate, Kadapa, | 02.08.2018 | 1000 |
| V.V. Prasad | Sri Shaik Khadeer Ahamed, Patha Kadapa | 02.08.2018 | 1200 |
| G. Sreenivasula Reddy | Sri M. Venugopal Reddy, Contractor, Kadapa | 03.08.2018 | 8000 |
| V.V. Prasad | The Sr. Section Engineer, Works, Chennai Egmore, Southern Railway, Chennai, | 04.08.2018 | 10000 |
| G. Sreenivasula Reddy | The Sr. Section Engineer, Works, Chennai Egmore, Southern Railway, Chennai, | 06.08.2018 | 16000 |
| V.V. Prasad | M/s. Kailas Patel Bharuka Constructions Pvt. Ltd., 3 rd Floor, Block-5, Sreeramula peta, Tadipatri, Ananthapuramu Dist | 08.08.2018 | 10000 |
| P. Suresh Praveen Kumar | The Sr. Section Engineer, Works, Chennai Egmore, Southern Railway, Chennai, | 10.08.2018 | 3450 |
| G. Sreenivasula Reddy | Sri P. Akhtarali Khan, C/o C.K. Ashfaq Basha, Iqbal Road, Kadiri, | 21.08.2018 | 1000 |
| V.V. Prasad | Sri P. Akhtarali Khan, C/o C.K. Ashfaq Basha, Iqbal Road, Kadiri, | 21.08.2018 | 300 |
| P. Suresh Praveen Kumar | Dr. V. Janardhan, Urimi Savitramma Hospital, NGO Colony, Kadapa, | 14.08.2018 | 1000 |
| P. Suresh Praveen Kumar | M/s. Shilpa Electrical Engineers (India) Pvt. Ltd | 06.09.2018 | 1150 |
| V.V. Prasad | M/s. Shilpa Electrical Engineers (India) Pvt. Ltd | 07.09.2018 | 300 |
| P. Suresh Praveen Kumar | M/s. Shilpa Electrical Engineers (India) Pvt. Ltd | 08.09.2018 | 1500 |
| P. Rajendra Kumar | The Deputy Executive Officer, MI Sub division, Proddatur | 01.09.2018 | 4000 |
| P. Rajendra Kumar | The Deputy Executive Officer, MI Sub division, Proddatur | 01.09.2018 | 2400 |
| P. Suresh Praveen Kumar | The Executive Engineer, APSPHC Ltd., Kadapa | 28.08.2018 | 3600 |
| V.V. Prasad | Sri C. Satyanarayana, C/o Sreenivasulu, NGO's colony, Kadapa | 06.09.2018 | 1000 |
| G. Sreenivasula Reddy | The Executive Engineer, APSPHC Ltd., Kadapa | 06.09.2018 | 1000 |
| P. Suresh Praveen Kumar | Sri G. Raja, Deputy Executive Engineer, SI Sub-Division, Kadapa, | 07.09.2018 | 2400 |
| P. Rajendra Kumar | Sri D. Nagamuni Naidu, 36/118-2, Chinna chowk, Madras road, Kadapa, | 11.09.2018 | 2000 |
| V.V. Prasad | The Deputy Executive Engineer, APMSIDC, Kadapa | 17.09.2018 | 1000 |





K. S. R. M. COLLEGE OF ENGINEERING

(UGC-AUTONOMOUS)

Kadapa, Andhra Pradesh, India – 516 005

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.
An ISO 14001:2004 & 9001:2015 Certified Institution



| | | | |
|-------------------------|---|------------|-------|
| P. Rajendra Kumar | M/s. Nagarjuna Construction Company, APTIDCO, Jammalamadugu, | 10.10.2018 | 1650 |
| V.V. Prasad | M/s. Nagarjuna Construction Company, APTIDCO, Jammalamadugu, | 10.10.2018 | 450 |
| P. Suresh Praveen Kumar | M/s. Shilpa Electrical Engineers (India) Pvt. Ltd | 11.10.2018 | 600 |
| V.V. Prasad | Sri Syed Saleem, Kodur | 28.09.2018 | 1000 |
| G. Sreenivasula Reddy | M/s. Rajeswari Planners & Builders, Sidhout Road, Badvel | 03.10.2018 | 900 |
| V.V. Prasad | M/s. Rajeswari Planners & Builders, Sidhout Road, Badvel | 04.10.2018 | 1250 |
| V.V. Prasad | M/s. Rajeswari Planners & Builders, Sidhout Road, Badvel | 05.10.2018 | 1250 |
| V.V. Prasad | Smt. B. Lakshmi Devi, Head Master, Z.P. Girls High School, Rajampeta, | 08.10.2018 | 1000 |
| P. Suresh Praveen Kumar | The Deputy Executive Engineer, RWS&S Sub-Division, Mydukur | 10.10.2018 | 3000 |
| P. Rajendra Kumar | The Assistant General Manager, NCCL, Kadapa | 10.10.2018 | 1650 |
| V.V. Prasad | The Deputy Executive Engineer, RWS&S Sub-Division, Kamalapuram | 12.10.2018 | 11000 |
| P. Suresh Praveen Kumar | M/s. Sri Srinivasa Constructions, Tadipatri | 12.10.2018 | 2000 |
| V.V. Prasad | Dr. S. Srinivasa Reddy, Commissioner, Rayachoty Municipality, Rayachoty | 15.10.2018 | 1000 |
| V.V. Prasad | Dr. S. Srinivasa Reddy, Commissioner, Rayachoty Municipality, Rayachoty | 16.10.2018 | 8000 |
| V.V. Prasad | The Executive Engineer, Civil Supplier Corporation Ltd., Vijayawada | 24.10.2018 | 8000 |
| G. Sreenivasula Reddy | Smt. B. Sreedevi, YSR Circle, Rajampeta Bypass, Kadapa | 25.10.2018 | 2000 |
| P. Suresh Praveen Kumar | M/S Skandanshi Infra Projects, Kadapa | 25.10.2018 | 3400 |
| G. Sreenivasula Reddy | Dy. Ex. Engineer, PRI Sub Division, R. Koduru | 28.10.2018 | 8000 |
| P. Suresh Praveen Kumar | Sri D. Basi Reddy, Bhagathsingh Nagar, Chemmumiah pet, Kadapa, | 30.10.2018 | 1000 |
| G. Sreenivasula Reddy | The Deputy Executive Engineer, PIU Sub Division, LR Palli | 31.10.2018 | 6550 |
| G. Sreenivasula Reddy | The Deputy Executive Engineer, R&B Sub Division, Pulivendula (West) | 31.10.2018 | 8000 |



K. S. R. M. COLLEGE OF ENGINEERING

(UGC-AUTONOMOUS)

Kadapa, Andhra Pradesh, India – 516 005

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.

An ISO 14001:2004 & 9001:2015 Certified Institution



| | | | |
|-------------------------|---|------------|-------|
| P. Suresh Praveen Kumar | The Assistant Executive Engineer, APEWIDC, Kadapa, | 31.10.2018 | 1000 |
| V.V. Prasad | The Assistant Executive Engineer, APEWIDC, Kadapa, | 01.11.2018 | 450 |
| P. Suresh Praveen Kumar | A. Partha Sarathi, Deputy Executive Engineer, APS Police Housing Corporation, Rajampeta | 20.12.2018 | 1000 |
| G. Sreenivasula Reddy | The Executive Engineer, PIU Division, Kadapa | 21.10.2018 | 8400 |
| G. Sreenivasula Reddy | The Manager, APIIC, Kadapa | 22.11.2018 | 10000 |
| G. Sreenivasula Reddy | The Manager, APIIC, Kadapa | 26.11.2018 | 10000 |
| V.V. Prasad | The Deputy Executive Engineer, APMSIDC, Kadapa | 23.09.2018 | 10000 |
| V.V. Prasad | M/s. GPR Infra, Extension of CPWS Scheme, Kadapa | 26.09.2018 | 3400 |
| P. Suresh Praveen Kumar | M/s. Vinyas Projects Pvt. Ltd., Near Silparamam, Kadapa | 05.10.2018 | 1000 |
| V.V. Prasad | The CED Engineer, MSW Dump Yard, Ukkayapalli, Kadapa, | 03.07.2018 | 1250 |
| P. Suresh Praveen Kumar | AMR Constructions, Kadapa | 10.08.2018 | 1000 |
| V.V. Prasad | AMR Constructions, Kadapa | 11.09.2018 | 900 |
| V.V. Prasad | Sri. B. Venkata Subbaiah, Near RTC Bus Stand, Beside Khajana jewelers, Kadapa | 02.10.2018 | 10000 |
| V.V. Prasad | The Executive Engineer, RWS&S, Kadapa Division, Kadapa | 06.11.2018 | 10000 |
| V.V. Prasad | The Municipal Commissioner, Pulivendula Municipality, Pulivendula | 10.11.2018 | 10000 |
| P. Suresh Praveen Kumar | Sri D. Masarath Nawaz Khan, NH Road, Sri Vijaya Durga Colony, Kadapa | 23.11.2018 | 1000 |
| P. Suresh Praveen Kumar | The Deputy Executive Engineer, APMSIDC, Kadapa | 14.12.2018 | 1000 |
| P. Suresh Praveen Kumar | The Deputy Executive Engineer, APMSIDC, Kadapa | 15.12.2018 | 2150 |
| V.V. Prasad | M/s. SGKRR Stone Crushers, Settivaripalli, Onipenta (P), Mydukur | 15.12.2018 | 1000 |
| V.V. Prasad | Sri. Pa. Babu Rao, Bethestha Church, Ramaraju Palli, Kadapa | 16.12.2018 | 1350 |
| P. Rajendra Kumar | The Deputy Plant Manager, IOC – LPG Bottling Unit, Kadapa, | 06.12.2018 | 6000 |





K. S. R. M. COLLEGE OF ENGINEERING

(UGC-AUTONOMOUS)

Kadapa, Andhra Pradesh, India – 516 005

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.

An ISO 14001:2004 & 9001:2015 Certified Institution



| | | | |
|-------------------------|---|------------|------|
| V.V. Prasad | The Mandal Engineering Officer, MPP, Ramapuram | 08.12.2018 | 450 |
| V.V. Prasad | The Mandal Engineering Officer, MPP, Ramapuram | 10.12.2018 | 450 |
| V.V. Prasad | Sri. B. Lakshmi Narayana, # 1/2700, APHB Colony, Kadapa | 12.12.2018 | 900 |
| P. Suresh Praveen Kumar | The Deputy General Manager (Tech.), NCC Limited, PMAY-NTR Nagar Housing Project (APTIDCO), Korrapadu Road, Near RTO Office, Proddatur Phase-I & II, YSR Kadapa Dist | 19.12.2018 | 6450 |
| P. Suresh Praveen Kumar | Sri. Sunkara Sreenivas, Sree Amogha Function Hall, Patha Kadapa, Kadapa | 15.12.2018 | 2000 |
| P. Suresh Praveen Kumar | B. Veera Kalyan Reddy, Sai Rajeswari Colony, Proddatur | 14.12.2018 | 1000 |
| P. Suresh Praveen Kumar | Shaik Kareemulla, S/o Abdul Razack, Rayachoty | 14.12.2018 | 1000 |
| P. Suresh Praveen Kumar | Smt. P. Sudha, D.No.1/1739-2-1, Gandhinagar, Yerramukkapalli, Kadapa | 15.12.2018 | 1000 |
| P. Rajendra Kumar | Sri S. Anwar Basha, Asst. Exe. Engineer, APEWIDC, Kadapa, | 14.12.2018 | 3000 |
| P. Rajendra Kumar | R. Srinivasa Reddy, R. Madhavi, D.No.1/712-1, Dwaraka Nagar, Kadapa | 18.12.2018 | 2000 |
| G. Sreenivasula Reddy | M/s. Agni-D Associates, Kadapa | 16.12.2018 | 1000 |
| P. Suresh Praveen Kumar | Sri. B. Veera Prathap Reddy, Chilamkur | 17.12.2018 | 2000 |
| P. Suresh Praveen Kumar | K.S. Shaksha Vali, T.Nafees Sultana, T. Nizamuddin, M.Raja Ramesh, Beside Siriculture Market Yard, Rayachoti Road, Kadiri-515591 | 19.12.2018 | 3000 |
| P. Suresh Praveen Kumar | M/S Skandanshi Infra Projects, Kadapa | 23.12.2018 | 1000 |
| V.V. Prasad | M/s. Sri Kailas Patel Bharuka Constructions (P) Ltd., 3 rd Floor, Block 5, Sreeramula peta, Tadipatri | 20.12.2018 | 450 |
| V.V. Prasad | The Deputy General Manager (P), Indane Bottling Plant, Indian oil Corporation Ltd., IDA, Near APSRTC, Kadapa | 27.12.2018 | 6000 |
| G. Sreenivasula Reddy | Sri. K. E. Rangaswamy, B.Tech,Asst. Exe. Engineer,RWS & S, V N Palli. | 28.12.2018 | 4000 |



K. S. R. M. COLLEGE OF ENGINEERING

(UGC-AUTONOMOUS)

Kadapa, Andhra Pradesh, India – 516 005

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.
An ISO 14001:2004 & 9001:2015 Certified Institution



| | | | |
|-------------------------|--|------------|-------|
| V.V. Prasad | Sri S. Anwar Basha, Asst. Exe. Engineer, APEWIDC, Kadapa, | 28.12.2018 | 1200 |
| V.V. Prasad | Sri P. Venkatarami Reddy, Survey No.127/2E, Utukuru (V), C.K. Dinne (M), Kadapa Dist., | 31.12.2018 | 1000 |
| P. Suresh Praveen Kumar | Sri Syed Ghouse Peer, S/o Hussain Miah, Ward No.77, 77/163-21, Ramarajupalli Revenue, Kadapa | 31.12.2018 | 1000 |
| V.V. Prasad | The Assistant Engineer, APEWIDC, Proddatur, | 29.12.2018 | 12040 |
| P. Suresh Praveen Kumar | M/s. Star Infra Solutions, Kadapa | 10.01.2019 | 1200 |
| P. Suresh Praveen Kumar | Sri. N. Sarveswara Reddy, # 71/259/1, Next to Eenadu Office, Alamkhan Palli, Kadapa | 12.01.2019 | 1000 |
| V.V. Prasad | The Executive Engineer, SKDGNSS Division, Proddatur | 20.01.2019 | 900 |
| V.V. Prasad | The Deputy Executive Engineer/Civil, TLC Civil Sub Division, AP Transco, Transco Nilayam, Kadapa | 22.01.2019 | 10400 |
| V.V. Prasad | The Deputy Executive Engineer/Civil, TLC Civil Sub Division, AP Transco, Transco Nilayam, Kadapa | 23.01.2019 | 1500 |
| P. Suresh Praveen Kumar | M/s The Cuddapah District Chemists & Druggists Association, Kadapa. | 24.01.2019 | 1000 |
| G. Sreenivasula Reddy | M/s The Cuddapah District Chemists & Druggists Association, Kadapa. | 25.01.2019 | 5000 |
| V.V. Prasad | M/s. Star Infra Solutions, Kadapa | 27.01.2019 | 2000 |
| V.V. Prasad | M/s. Bhrunda Infra Pvt. Ltd., Phase-II Works, RGUKT, RK Valley, Idupulapaya, | 28.01.2019 | 25000 |
| P. Suresh Praveen Kumar | M/s. Sathiapal Engineers (I) Ltd., ICL Site, Chilamkur | 28.01.2019 | 1500 |
| V.V. Prasad | M. Udaya Harika, Civil Contractor, NGO Colony, Kadiri, | 02.02.2019 | 450 |
| P. Suresh Praveen Kumar | Sri. K. Kasim Peera, Municipal Planner, Pulivendula | 29.01.2019 | 1000 |
| V.V. Prasad | The District Command Control Centre, Railway Colony, Kadapa | 29.01.2019 | 450 |
| G. Sreenivasula Reddy | M/s. Meru Automobiles (P) Ltd., Near HP Petrol Bunk, Palempalli, Kadapa | 30.01.2019 | 8000 |
| P. Suresh Praveen Kumar | Sri. K. E. Rangaswamy, B.Tech, Asst. Exe. Engineer, RWS & S, V N Palli. | 04.02.2019 | 1000 |





K. S. R. M. COLLEGE OF ENGINEERING

(UGC-AUTONOMOUS)

Kadapa, Andhra Pradesh, India – 516 005

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.

An ISO 14001:2004 & 9001:2015 Certified Institution



KSNR
lives on.

| | | | |
|-------------------------|--|------------|-------|
| V.V. Prasad | Smt. B. Lakshmi Rajyam, W/o. B. Venkateswarlu, D. No.: 3 / 1080, YMR Colony, Proddatur. | 01.03.2019 | 8000 |
| P. Suresh Praveen Kumar | Sri. C. Vijaya Sekhar Reddy, K. Velamavari Palli, Pulivendula | 02.03.2019 | 1000 |
| V.V. Prasad | The Deputy Executive Engineer, RWS&S Sub Division, Piler | 12.02.2019 | 900 |
| V.V. Prasad | Sree Satyanarayana Builders, 7/834, Korrapadu Road, Proddatur, | 08.02.2019 | 450 |
| P. Suresh Praveen Kumar | Smt. L. Usha Rani, W/o. L. Ramakrishna, D. No. 39/464-2, Aravinda Nagar, Chinna Chowk, Kadapa. | 02.03.2019 | 1000 |
| P. Suresh Praveen Kumar | Deputy Executive Engineer, RWS & S, Tirupati | 15.02.2019 | 26000 |
| P. Suresh Praveen Kumar | Smt. L. Usha Rani, W/o. L. Ramakrishna, D. No. 39/464-2, Aravinda Nagar, Chinna Chowk, Kadapa. | 02.03.2019 | 1000 |
| V.V. Prasad | M/s. Matrix Security and Surveillance Pvt. Ltd., Madhapur, Hyderabad | 19.02.2019 | 1800 |
| G. Sreenivasula Reddy | The Deputy Executive Engineer, RWS&S Sub Division, Ananthapuramu | 05.03.2019 | 5000 |
| V.V. Prasad | The Deputy Executive Engineer, Vontimitta, TTD, Tirumala | 22.02.2019 | 450 |
| P. Rajendra Kumar | Sri. C. Vijaya Sekhar Reddy, K. Velamavari Palli, Pulivendula | 09.03.2019 | 1000 |
| G. Sreenivasula Reddy | M/s. Vinyas Projects Pvt. Ltd., Near Silparamam, Kadapa | 12.03.2019 | 600 |
| G. Sreenivasula Reddy | The Deputy Executive Engineer, RWS&S Sub Division, LR Palli | 15.03.2019 | 8000 |
| P. Rajendra Kumar | Sri. T. Balaji, Vanipenta | 18.03.2019 | 2000 |
| V.V. Prasad | The Executive Engineer, RWS&S, Kadapa Division, Kadapa | 20.03.2019 | 4000 |
| V.V. Prasad | The Assistant Executive Engineer, PRI Sub division, Kamalapuram | 28.02.2019 | 1800 |
| P. Suresh Praveen Kumar | The Deputy Executive Engineer, APSPHC Ltd., Kadapa | 28.02.2019 | 2000 |
| V.V. Prasad | The Ramky Enviro Engineers Limited, 13 th Floor, Ramky Grandiose, Ramky Towers, Gachibowli, Hyderabad | 3.03.2019 | 900 |





K. S. R. M. COLLEGE OF ENGINEERING

(UGC-AUTONOMOUS)

Kadapa, Andhra Pradesh, India – 516 005

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.
An ISO 14001:2004 & 9001:2015 Certified Institution



| | | | |
|-------------------------|--|------------|------|
| P. Suresh Praveen Kumar | Sri. A. Siva Prasad, Sankarapuram, Kadapa | 07.03.2019 | 2000 |
| P. Suresh Praveen Kumar | Smt. S. Sakunthamma, Redyam Complex, Opp. SBI Main Branch, Jail Road, Vizag | 09.03.2019 | 1000 |
| P. Suresh Praveen Kumar | Smt. Nilofer, Near NGO Colony Masjid, NGO Colony, Kadapa | 11.03.2019 | 1000 |
| V.V. Prasad | Sri K. Hemasundar Reddy, Sterling and Wilsen Pvt. Ltd., 250MW Solar Project, N.P. Kunta, Anantapur | 15.03.2019 | 900 |
| V.V. Prasad | The Deputy Executive Engineer, Vontimitta, TTD, Tirumala | 17.03.2019 | 900 |
| V.V. Prasad | The Deputy Executive Engineer, Vontimitta, TTD, Tirumala | 23.03.2019 | 450 |
| V.V. Prasad | The Deputy Executive Engineer, RWS&S Sub division, Kadapa, | 22.03.2019 | 5400 |
| V.V. Prasad | Sri. Satyanarayana, Railway Contractor, Hyderabad | 22.03.2019 | 8000 |
| P. Rajendra Kumar | S. Govardhan Reddy, D.No: 1/711-3, Dwaraka Nagar, Kadapa | 23.04.2019 | 3000 |
| A. Rahul Sai | M/s. Matrix Security & Surveillance Pvt. Ltd., Kavuri Hills, Madhapur, | 26.04.2019 | 900 |
| V.V. Prasad | Sathiapal Engineers (Ind) Ltd., C/o India Cements Ltd., Chilamkur, | 28.04.2019 | 4500 |
| V.V. Prasad | M/s. Eshyan Infratech, D.No.8/24, Road No.5, Sri Vijaya Durga colony, Kadapa | 26.04.2019 | 3150 |
| V.V. Prasad | Sathiapal Engineers (Ind) Ltd., C/o India Cements Ltd., Chilamkur | 10.04.2019 | 3600 |
| A. Rahul Sai | The Deputy Executive Engineer (Vontimitta), TTD, Tirupati | 02.05.2019 | 1500 |
| P. Suresh Praveen Kumar | Dr. T. Dinakar Reddy, Surya Hospital, Kadapa | 03.05.2019 | 1000 |
| V.V. Prasad | M/s. SKV Constructions, Kadapa | 05.05.2019 | 8000 |
| V.V. Prasad | Sri. G. Indrasena Reddy, PS Designs, Kadapa | 06.05.2019 | 8000 |
| P. Suresh Praveen Kumar | P. Radha Krishna, NGO Colony, Kadapa | 28.04.2019 | 1000 |
| P. Suresh Praveen Kumar | M/s. Samikya Build Tech Pvt. Ltd., Bangalore | 17.04.2019 | 2000 |
| A. Rahul Sai | M/s. SGKRR Stone Crushers, Settivaripalli, Onipenta (P), Mydukur | 18.04.2019 | 1500 |
| P. Suresh Praveen Kumar | O/o Senior Section Engineer (Works), South Central Railway, Cuddapah | 17.04.2019 | 1000 |





K. S. R. M. COLLEGE OF ENGINEERING

(UGC-AUTONOMOUS)

Kadapa, Andhra Pradesh, India – 516 005

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.

An ISO 14001:2004 & 9001:2015 Certified Institution



KSNR
lives on..

| | | | |
|-------------------------|--|------------|-------|
| A. Rahul Sai | O/o Senior Section Engineer (Works), South Central Railway, Cuddapah | 17.04.2019 | 1500 |
| P. Suresh Praveen Kumar | D. Rama Rao, M.Tech, Deputy Executive Engineer, RWS & S Sub-Division, Ananthapuramu., | 19.04.2019 | 22250 |
| V.V. Prasad | D. Shankaraiah, DSR Function Hall, Batchampalli, Kurnool Tirupathi Bye pass road (Ring Road), Kadapa | 02.05.2019 | 900 |
| P. Rajendra Kumar | The Mandal Engineering Officer, Kalasapadu mandal | 05.05.2019 | 2000 |
| V.V. Prasad | Sri A. Rajeswara Reddy, Proddatur | 27.04.2019 | 2250 |
| V.V. Prasad | Sathiapal Engineers (Ind) Ltd., C/o India Cements Ltd., Chilamkur, | 29.04.2019 | 2400 |
| P. Suresh Praveen Kumar | G. Jnana Bhargav, B.Tech, Assistant Engineer, RWS & S B. K. Samudram (M),, Ananthapuramu. | 15.05.2019 | 13350 |
| V.V. Prasad | The Assistant Executive Engineer, APEWIDC, Kadapa | 13.05.2019 | 900 |
| V.V. Prasad | M/s. Lakshmi Narasimha Metal Enterprises, R.S.Road, Alampur Village, Kadiri Rural, Ananthapuramu | 29.04.2019 | 16000 |
| P. Rajendra Kumar | M/s Lakshmi Narasimha Metal Enterprises, RS Road, Alampur Village, Kadiri Rural, Ananthapuramu | 16.05.2019 | 1000 |
| P. Rajendra Kumar | Sri. Y. Mallikarjuna Reddy, Assistant Engineer, APEWIDC, Kadiri | 20.06.2019 | 1000 |
| P. Rajendra Kumar | Sri. Y. Mallikarjuna Reddy, Assistant Engineer, APEWIDC, Kadiri | 20.06.2019 | 1000 |
| P. Rajendra Kumar | The Senior Section Engineer (P.Way), S.Railway, Gooty | 03.05.2019 | 2000 |
| G. Sreenivasula Reddy | Sri P. Hasan Khan, H.No.6/334, G.C. Street, Mochampet, Kadapa | 03.05.2019 | 9000 |
| V.V. Prasad | M/s MEGHA Engineering & Infrastructures Ltd., Hyderabad | 05.05.2019 | 3000 |
| P. Rajendra Kumar | Sri P. Srinivasa Reddy & P. Gowri, 1/1764, Gandhi Nagar, Kadapa | 13.05.2019 | 3000 |
| P. Suresh Praveen Kumar | M/s MEGHA Engineering & Infrastructures Ltd., Hyderabad | 06.05.2019 | 3650 |
| V.V. Prasad | M/s. JVS Builders, Flat No: 205, New Vijaya Durga Apartments, Kadapa. | 07.05.2019 | 1500 |
| P. Suresh Praveen Kumar | The Deputy Executive Engineer, Proddatur Sub Division, Badvel | 07.03.2019 | 4400 |





K. S. R. M. COLLEGE OF ENGINEERING

(UGC-AUTONOMOUS)

Kadapa, Andhra Pradesh, India – 516 005

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.

An ISO 14001:2004 & 9001:2015 Certified Institution



KSNR
lives on.

| | | | |
|----------------------------|---|------------|-------|
| V.V. Prasad | D. Shankariah, DSR Function Hall, Batchampalli, Kurnool-Tirupathi Bye pass Road (Ring Road), Kadapa | 14.05.2019 | 450 |
| P. Rajendra Kumar | M/s Rajpadma Incorp. Ltd., Banjara Hills, Hyderabad | 07.03.2019 | 1800 |
| P. Suresh Praveen Kumar | M/s. Sai Power Constructions, Hyderabad | 27.05.2019 | 450 |
| P. Suresh Praveen Kumar | M/s. Sai Power Constructions, Hyderabad | 27.05.2019 | 450 |
| P. Suresh Praveen Kumar | Sathiapal Engineers (Ind) Ltd., C/o India Cements Ltd., Chilamkur, | 28.05.2019 | 1200 |
| P. Suresh Praveen Kumar | Sathiapal Engineers (Ind) Ltd., C/o India Cements Ltd., Chilamkur, | 28.05.2019 | 2400 |
| P. Suresh Praveen Kumar | The Deputy Executive Engineer, Proddatur Sub Division, Badvel | 16.05.2019 | 1800 |
| P. Suresh Praveen Kumar | The Deputy Executive Engineer, Proddatur Sub Division, Badvel | 18.05.2019 | 24000 |
| P. Suresh Praveen Kumar | M/s MEGHA Engineering & Infrastructures Ltd., Hyderabad | 06.05.2019 | 3650 |
| P. Suresh Praveen Kumar | Sri. S. Nagi Reddy, Bhagyanagar Colony, Kadapa | 04.06.2019 | 3600 |
| P. Suresh Praveen Kumar | K. S. D. Goud, <small>M.Tech.</small> , Executive Engineer, APSIDC Ltd., Kadapa | 04.06.2019 | 2000 |
| P. Suresh Praveen Kumar | O/o Senior Section Engineer (Works), South Central Railway, Cuddapah | 06.06.2019 | 1000 |
| P. Suresh Praveen Kumar | The Deputy Executive Engineer, A.P.S.P.H.C. Ltd., Kadapa | 06.06.2019 | 2100 |
| P. Suresh Praveen Kumar | M/s. Samikya Build Tech Pvt. Ltd., Bangalore | 07.06.2019 | 2000 |
| P. Suresh Praveen Kumar | M/s. Samikya Build Tech Pvt. Ltd., Bangalore | 07.06.2019 | 1000 |
| P. Suresh Praveen Kumar | Y. Mallikarjuna Reddy, Assistant Engineer, APEWIDC, Kadiri | 08.06.2019 | 1000 |
| P. Suresh Praveen Kumar | Sri. G. S. Subaramanyam, <small>M.Tech.</small> , Deputy Executive Engineer, PIU Sub Division, Kadapa | 31.05.2019 | 8500 |
| P. Suresh Praveen Kumar | K. S. D. Goud, <small>M.Tech.</small> , Executive Engineer, APSIDC Ltd., Kadapa | 16.06.2019 | 5000 |
| P. Suresh Praveen Kumar | Senior Section Engineer (Works), South Central Railways, Kadapa | 17.06.2019 | 2000 |
| V.V. Prasad | Sathiapal Engineers (Ind) Ltd., C/o India Cements Ltd., Chilamkur, | 19.06.2019 | 4200 |



/kasmce.ac.in

Follow Us:



/kasmceofficial



K. S. R. M. COLLEGE OF ENGINEERING

(UGC-AUTONOMOUS)

Kadapa, Andhra Pradesh, India – 516 005

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.
An ISO 14001:2004 & 9001:2015 Certified Institution



KSNR
lives on..

| | | | |
|-------------------------------------|--|------------|--------|
| V.V. Prasad | V.G. Gokhale, Sivaganga Layout, 121, Mahadev, Kusugal Road, Hubballi., | 20.06.2019 | 450 |
| V.V. Prasad | The Deputy Executive Engineer, R & B Sub Division, Kadapa | 11.06.2019 | 10400 |
| V.V. Prasad & G. Sreenivasula Reddy | The Deputy Executive Engineer, RWS&S Sub division, Kadapa, | 25.07.2019 | 100000 |
| P. Suresh Praveen Kumar | M/s. Moole Builders Pvt. Ltd., Brundavanam Residency, Sirimalle Nagar-2, Hyderabad | 27.06.2019 | 5000 |
| P. Rajendra Kumar | Smt. K. Krishna Thulasi, Om Santhi Nagar Road, Kadapa | 16.08.2019 | 3000 |
| P. Suresh Praveen Kumar | Sri. Ch. Sreenivasa Raju, # 2/379, Balaji Nagar, Kadapa | 01.07.2019 | 2000 |
| N. Prathap Kumar | Sri. K. Bala Narasaiah, Akkayapalli, Kadapa | 13.09.2019 | 1500 |
| V.V. Prasad | M/s. Matrix Security & Surveillance Pvt. Ltd., Madhapur, Hyderabad | 29.06.2019 | 900 |
| V.V. Prasad | M/s. Sathiapal Engineers (I) Ltd., ICL Site, Chilamkur | 08.07.2019 | 600 |
| V.V. Prasad | M/s. Star Infra Solutions, Kadapa | 02.07.2019 | 600 |
| K.Niveditha | Smt. P. Sreedevi, Water Gandhi Road, Kadapa | 12.07.2019 | 4000 |
| V. Giridhar | The Deputy Executive Engineer (Civil), APSRTC, Kadapa | 09.07.2019 | 12600 |
| K.Niveditha | Sri. C. Vijaya Sekhar Reddy, K. Velamavari Palli, Pulivendula | 18.07.2019 | 2000 |
| P. Pavan Kumar | M/s. Sathiapal Engineers (I) Ltd., ICL Site, Chilamkur | 23.07.2019 | 600 |
| P. Pavan Kumar | M/s. Sathiapal Engineers (I) Ltd., ICL Site, Chilamkur | 23.07.2019 | 1800 |
| P. Suresh Praveen Kumar | Sri. K. Kasim Peera, Municipal Planner, Pulivendula | 17.07.2019 | 2000 |
| V. Sai Neeraja | The Senior Section Engineer, Works / S&T Projects, SC Railways, Vijayawada | 18.07.2019 | 1350 |
| P. Suresh Praveen Kumar | M/s. Sree Sai Infra Projects, Samskruthi Mega Township, Kadapa | 22.07.2019 | 1000 |
| Ch. Santosh Kumar | The Deputy Executive Engineer (Vontimitta), TTD, Tirupati | 20.07.2019 | 450 |
| Ch. Santosh Kumar | The Deputy Executive Engineer (Vontimitta), TTD, Tirupati | 20.07.2019 | 450 |
| P. Rajendra Kumar | The Deputy Executive Engineer, Public Health, Proddatur | 24.07.2019 | 2000 |
| V. Sai Neeraja | M/s. DSR Function Hall, Batchampalli, Kadapa | 27.07.2019 | 3150 |





K. S. R. M. COLLEGE OF ENGINEERING

(UGC-AUTONOMOUS)

Kadapa, Andhra Pradesh, India – 516 005

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.

An ISO 14001:2004 & 9001:2015 Certified Institution



KSNR
lives on.

| | | | |
|---|---|------------|-------|
| Ch. Santosh Kumar | M/s. Sathiapal Engineers (I) Ltd., ICL Site, Chilamkur | 05.12.2019 | 1500 |
| Ch. Santosh Kumar | M/s. Sathiapal Engineers (I) Ltd., ICL Site, Chilamkur | 30.07.2019 | 2100 |
| Ch. Santosh Kumar | M/s. Sathiapal Engineers (I) Ltd., ICL Site, Chilamkur | 30.07.2019 | 1800 |
| Ch. Santosh Kumar | Sri. S. Govardhan Reddy, # 1/711-3, Dwaraka Nagar, Kadapa | 27.07.2019 | 900 |
| N. Prathap Kumar | The Deputy General Manager (E-C), Airports Authority of India, Kadapa Airport, Kadapa | 08.08.2019 | 1500 |
| P. Pavan Kumar | M/s. Sathiapal Engineers (I) Ltd., ICL Site, Chilamkur | 03.08.2019 | 2100 |
| P. Suresh Praveen Kumar, P.Rajendra Kumar, M.V. Ravi Kishore Reddy, M.C.Venkata Subbaiah & k. Niveditha | The Executive Engineer, HLC (Loc) Division, Ananthapuramu. | 18.07.2019 | 76800 |
| K.Niveditha | The Superintendent Engineer, APSPDCL, Kadapa | 21.06.2019 | 1000 |
| K.Niveditha | The Sr. Section Engineer, SCR, Kadapa | 04.05.2019 | 9600 |
| V.Giridhar | The Sr. Section Engineer, HX, SCR, Guntakal Divison | 04.05.2019 | 9600 |
| V.Giridhar | Dy. Executive Engineer, PIU Sub Division, Porumamilla | 15.06.2019 | 8400 |
| P. Suresh Praveen Kumar | The Asst. Ex. Engineer, TGP Division, Porumamilla | 18.06.2019 | 450 |
| N. Prathap Kumar | The Dy. Ex. Engineer, Special Sub division, Vinjamoor | 22.06.2019 | 8400 |
| P. Rajendra Kumar & P. Kishore Kumar Reddy | Dy. EE, TTD Tirupathi | 25.07.2019 | 13100 |
| G. Sreenivasula Reddy | DEE (Civil), AP Transco, Transo Nilayam, Kadapa | 25.07.2019 | 450 |
| V. Giridhar & K.Niveditha | The Executive Engineer, Samagra Shiksha, YSR Kadapa | 04.06.2019 | 11600 |
| V. Giridhar | DEE (Civil), AP Transco, Transo Nilayam, Kadapa | 04.06.2019 | 7300 |
| K. Niveditha | RV Pavan Kumar, yellanoor Road, Tadipatri | 14.08.2019 | 1000 |
| P. Rajendra Kumar | DEE (Civil), AP Transco, Transo Nilayam, Kadapa | 05.06.2019 | 3100 |





K. S. R. M. COLLEGE OF ENGINEERING

(UGC-AUTONOMOUS)

Kadapa, Andhra Pradesh, India – 516 005

Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu.

An ISO 14001:2004 & 9001:2015 Certified Institution



| | | | |
|-------------------------|---|------------|-----------|
| K. Niveditha | DEE (Civil), AP Transco, Transo Nilayam, Kadapa | 05.06.2019 | 1500 |
| P. Suresh Praveen Kumar | The Deputy Executive Engineer, Proddatur Sub Division, Badvel | 18.06.2019 | 18000 |
| V.V.Prasad | Dy. EE, Panchayati Raj, Sub Division, Badvel | 10.06.2019 | 8000 |
| Ch. Santosh Kumar | M/s. Sathiapal Engineers (I) Ltd., ICL Site, Chilamkur | 05.06.2019 | 5500 |
| Ch. Santosh Kumar | M/s. Sathiapal Engineers (I) Ltd., ICL Site, Chilamkur | 30.06.2019 | 8000 |
| Ch. Santosh Kumar | M/s. Sathiapal Engineers (I) Ltd., ICL Site, Chilamkur | 30.06.2019 | 9800 |
| | | | 1,035,640 |


IQAC

Co-ordinator

Internal Quality Assurance Cell (IQAC)
KSRM College of Engineering
Kadapa - 516 003


Principal

PRINCIPAL
K.S.R.M. COLLEGE OF ENGINEERING
KADAPA-516005, (A.P.)



/ksrmce.ac.in

Follow Us:



/ksrmceofficial



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18024

From

The HEAD

To

The Deputy General Manager (Marketing)
Anjani Portland Cement Ltd.,
#6-3-553, Flat No.sE3&E4,
4th Floor, Quena Square,
Off. Taj Deccan Road,
Erramanzil, Hyderabad.

Sir,

Sub: Testing of OPC 53 Grade Cement sample – Anjani Portland Cement - Reg.

Ref: Your Lr. No. NIL, dated 07.02.2018.

-oo0oo-

Thank you for approaching us for Testing of Cement samples. The bill for testing charges and results are enclosed here with.

Assuring you of our best services.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18047

Bill for Testing Charges

Name of the work: Testing of OPC 53 Grade Cement samples – Wind Power project at Alidina Hill at Kadapa – WTG Turbine foundation & Other miscellaneous works - Reg.

Ref: Your Lr. No. NIL, dated 28.02.2018.

-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|--|---|----------------|------------|--------------|
| 1. | Initial and Final setting time | 02 | 500/- | 1000=00 |
| 2. | Specific Gravity Test | 02 | 250/- | 500=00 |
| 3. | Fineness Test | 02 | 250/- | 500=00 |
| 4. | Soundness | 02 | 400/- | 800=00 |
| 6. | Compressive strength 3 days, 7 days, 28days | 02 | 1500/- | 3000=00 |
| | | | | |
| | Total | | | 5,800=00 |
| Rupees Five Thousand Eight Hundred only | | | | |

Received with thanks from M/s. Animala Wind Power Private Limited, Survey No.2/218, Plot No.C/6, House No.11/73, SR Colony, V.N. Palli, Kadapa Dist., a sum of **Rs.5800-00** (Rupees Five Thousand Eight Hundred only) towards the testing charges.

Yours faithfully,


HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18059

Bill for Testing Charges

Name of the work: Testing of OPC 53 Grade Cement sample – WTG Turbine foundations & Other miscellaneous works – Wind Power Project at Alidina hill at Kadapa district - Reg.

Ref: Your Lr. No. NIL, dated 04.04.2018

00000

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------|-----------------------------|----------------|------------|---------------|
| 1. | Consistency | 01 | 250/- | 250=00 |
| 2. | Compressive strength 3 days | 01 | 250/- | 250=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 500=00 |
| Rupees Five Hundred only | | | | |

Received with thanks from Animala Wind Power Pvt. Limited, S.R. Colony, V.N. Palli, Kadapa Dist., a sum of **Rs.500-00** (Rupees Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head

Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18125

Bill for Testing Charges

Name of the work: Testing of Stone Ballast used for Railway track at Andhra Pradesh Cement Works, Tadipatri - Reg.

Ref: Your Lr. No. NIL, dated 14.07.2018.

-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|--|------------------|----------------|------------|-----------------|
| 1. | Abrasion Value | 01 | 500/- | 500=00 |
| 2. | Impact value | 01 | 300/- | 300=00 |
| 3. | Flakiness Index | 01 | 250/- | 250=00 |
| 4. | Water Absorption | 01 | 250/- | 250=00 |
| 6. | Sieve Analysis | 01 | 250/- | 250=00 |
| | Total | | | 1,550=00 |
| Rupees One Thousand Five Hundred Fifty only | | | | |

Received with thanks from Ultratech Cement Limited, Andhra Pradesh Cement Works: Bhogasamudram, Thadipatri Mandal, Ananthapuramu – 515413, a sum of **Rs.1550-00** (Rupees One Thousand Five Hundred Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18005

Bill for Testing Charges

Name of the work: Testing of Concrete Cube samples – Construction of New BG line from Kadapa to Bengaluru stations, Kadapa – Pendlimarri section. Proposed Construction of Staff quarters – Type III – 2 units and Type II – 12 units at Kadapa – M25 Grade concrete - Reg.

Ref: Your Lr.No.SSE/W/C/HX/Qtrs, dated 05.01.2018
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|----------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 03 | 100/- | 300=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 300=00 |
| Rupees Three Hundred only | | | | |

Received with thanks from Sri T. Chandra Sekhar Reddy, Emepadu Village, Chittoor, a sum of **Rs.300=00** (Rupees Three Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18018

Bill for Testing Charges

Name of the work: Testing of Concrete Cube samples – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|----------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 08 | 100/- | 800=00 |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 800=00 |
| Rupees Eight Hundred only | | | | |

Received with thanks from M/s. Matrix Security and Surveillance Pvt. Ltd., Madhapur, Hyderabad, a sum of Rs.800=00 (Rupees Eight Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18030

Bill for Testing Charges

Name of the work: Testing of Concrete Cube samples – Construction of WTG Foundation BK95 at Badvel – M40 and M50 Mix design Concrete work - Reg.

Ref: Your Lr.No. NIL, dated 28/02/2018.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 18 | 100/- | 1800=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 1800=00 |
| Rupees One Thousand Eight Hundred only | | | | |

Received with thanks from SVS Construction, Badvel, a sum of Rs.1800=00 (Rupees One Thousand Eight Hundred only) towards the testing charges.

Yours faithfully,


HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18042

Bill for Testing Charges

Name of the work: Testing of Concrete Cube samples – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|----------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 08 | 100/- | 800=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 800=00 |
| Rupees Eight Hundred only | | | | |

Received with thanks from M/s. Matrix Security and Surveillance Pvt. Ltd., Madhapur, Hyderabad, a sum of **Rs.800=00** (Rupees Eight Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18058

Bill for Testing Charges

Name of the work: Testing of Concrete Cube samples – RWS&S Sub-division, Pulivendula – Providing CPWS scheme to C. K. Pet & other habitations of C.K. Peta Mandal - Reg.

Ref: Your Lr.No.JTO/SDP/2016-17, dated 12.01.2017.
-00000-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|--------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 06 | 100/- | 600=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 600=00 |
| Rupees Six Hundred only | | | | |

Received with thanks from Sri Vigneswara Constructions, Kadapa, a sum of **Rs.600=00** (Rupees Six Hundred only) towards the testing charges.

Yours faithfully,


HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 515 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18063

Bill for Testing Charges

Name of the work: Testing of M25 Concrete Cube samples – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|--------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 06 | 100/- | 600=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 600=00 |
| Rupees Six Hundred only | | | | |

Received with thanks from M/s. Matrix Security and Surveillance Pvt. Ltd.,
Madhapur, Hyderabad, a sum of **Rs.600=00** (Rupees Six Hundred only) towards the
testing charges.

Yours faithfully,



HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003 (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18085

Bill for Testing Charges

Name of the work: Testing of Concrete Cube samples – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 09 | 100/- | 900=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 900=00 |
| Rupees Nine Hundred only | | | | |

Received with thanks from M/s. Eshyan Infratech, D.No.8/24, Road No.5, Sri Vijaya Durga colony, Kadapa, a sum of **Rs.900=00** (Rupees Nine Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18086

Bill for Testing Charges

Name of the work: Testing of Concrete Cube samples – Kandi Project (Aelous-I) -
Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 05 | 100/- | 500=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 500=00 |
| Rupees Five Hundred only | | | | |

Received with thanks from Ecoren Energy India Pvt. Ltd., Kandi, Badvel, a sum of Rs.500=00 (Rupees Five Hundred only) towards the testing charges.

Yours faithfully,


HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003 (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18094

Bill for Testing Charges

Name of the work: Testing of 20M35 Cube samples – Construction of Sree Satya Sreenivasa Mall & Multiplex situated at Door No.7/830 & 834, Korrapadu Road, Proddatur Town, Kadapa Dist. - Reg.

Ref: Your Lr.No.SSB/SSSMM/B-5/TF/PTB/testing/2018, dated 07.06.2018.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|----------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 03 | 100/- | 300=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 300=00 |
| Rupees Three Hundred only | | | | |

Received with thanks from M/s. Sree Satyanarayana Builders, 7/834, Korrapadu Road, Proddatur, a sum of Rs.300=00 (Rupees Three Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18109

Bill for Testing Charges

Name of the work: Testing of Concrete Cube samples – Kandi Project (Aelous-I) - Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|----------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 03 | 100/- | 300=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 300=00 |
| Rupees Three Hundred only | | | | |

Received with thanks from Ecoren Energy India Pvt. Ltd., Kandi, Badvel, a sum of **Rs.300=00** (Rupees Three Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18111

Bill for Testing Charges

Name of the work: Testing of Concrete Cube samples – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|----------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 03 | 100/- | 300=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 300=00 |
| Rupees Three Hundred only | | | | |

Received with thanks Dr. M. Srinivasa Rao, Sankarapuram, Kadapa, a sum of Rs.300=00 (Rupees Three Hundred only) towards the testing charges.

Yours faithfully,


HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18121

Bill for Testing Charges

Name of the work: Testing of 20M35 Cube samples – Construction of Sree Satya Sreenivasa Mall & Multiplex situated at Door No.7/830 & 834, Korrapadu Road, Proddatur Town, Kadapa Dist. - Reg.

Ref: Your Lr.No.SSB/SSSMM/B-1/TF/PTB/Screen 3&4/testing/2018,
dated 12.07.2018.

-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|----------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 03 | 100/- | 300=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 300=00 |
| Rupees Three Hundred only | | | | |

Received with thanks from M/s. Sree Satyanarayana Builders, 7/834, Korrapadu Road, Proddatur, a sum of Rs.300=00 (Rupees Three Hundred only) towards the testing charges.

Yours faithfully,

HEAD
Head

Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18123

Bill for Testing Charges

Name of the work: Testing of M25 Concrete Cube samples – Construction of Footing & Columns - Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 09 | 100/- | 900=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 900=00 |
| Rupees Nine Hundred only | | | | |

Received with thanks from M/s. Automotive Manufacturers Pvt. Ltd., Sy.No.211/A, Thippaluru (V), Yerraguntla, a sum of **Rs.900=00** (Rupees Nine Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head

Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18141

Bill for Testing Charges

Name of the work: Testing of Pre cast concrete slabs – IOCL, Kadapa LPG Bottling Plant - M15 and M20 Concrete Cubes – Reg.

Ref: Your Lr.No.IOCL/KDPBP/SLAB TEST, dated 01.08.2018.

-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|--------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 06 | 100/- | 600=00 |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 600=00 |
| Rupees Six Hundred only | | | | |

Received with thanks from The Deputy General Manager (P), Indian Oil Corporation Limited, Indane Bottling Plant, Kadapa, a sum of **Rs.600=00** (Rupees Six Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18144

Bill for Testing Charges

Name of the work: Testing of 20M35 Cube samples – Construction of Sree Satya Sreenivasa Mall & Multiplex situated at Door No.7/830 & 834, Korrapadu Road, Proddatur Town, Kadapa Dist. - Reg.

Ref: Your Lr.No.SSB/SSSM/B-5/4F/PTB/testing/2018, dated 20.08.2018.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|----------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 03 | 100/- | 300=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 300=00 |
| Rupees Three Hundred only | | | | |

Received with thanks from M/s. Sree Satyanarayana Builders, 7/834, Korrapadu Road, Proddatur, a sum of Rs.300=00 (Rupees Three Hundred only) towards the testing charges.

Yours faithfully,


HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
Kadapa



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18154

Bill for Testing Charges

Name of the work: Testing of M20 Concrete Cube samples – Construction of Veda Vyasa School Building at Mydukur - Reg.

Ref: Your Lr.No.NIL, dated 22.09.2018
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|----------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 03 | 100/- | 300=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 300=00 |
| Rupees Three Hundred only | | | | |

Received with thanks from Sri B. Rami Reddy, Veda Vyasa School, Mydukur, a sum of Rs.300=00 (Rupees Three Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head

Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18158 (A)

Bill for Testing Charges

Name of the work: Testing of M20 Concrete Cube samples – Construction SD-III, Kadapa, Supply, Erection, Testing & Commissioning of 132KV DC/SC Line from 220/132KV SS Rajampeta to proposed 132/33KV C. Orampadu SS in Kadapa District - Reg.

Ref: Your Lr.No.DEE/CON/SD-III/KDP/F.44(B)/D.No.244/18, dated .09.2018.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 21 | 100/- | 2100=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 2100=00 |
| Rupees Two Thousand One Hundred only | | | | |

Received with thanks from M/s. Shilpa Electrical Engineers (India) Pvt. Ltd., a sum of **Rs.2100=00** (Rupees Two Thousand One Hundred only) towards the testing charges.

Yours faithfully,


HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18158 (B)

Bill for Testing Charges

Name of the work: Testing of M20 Concrete Cube samples – Civil TLC Sub-Division/Kadapa – Erection of 1 no. of 132KV Bay at 132/33KVSS Badve in YSR Kadapa Dist. - Reg.

Ref: Your Lr.No.DEE/CIVIL/TLC/SD/KDP/F.No.476/18, dated 25.07.2018.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|--------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 06 | 100/- | 600=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 600=00 |
| Rupees Six Hundred only | | | | |

Received with thanks from The Deputy Executive Engineer/Civil, Civil TLC Sub Division, A.P. Transco, Transco Nilayam, Kadapa, a sum of Rs.600=00 (Rupees Six Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18158 (C)

Bill for Testing Charges

Name of the work: Testing of Clay Bricks samples – Civil TLC Sub-Division/Kadapa
– Erection, Testing and commissioning of 132/33KV
Substation at C. Orampadu - Reg.

Ref: Your Lr.No.AEE/CIVIL/TLC/SD/KDP/F.No.132KV SS Orampadu/
D.No.513/18, dated 11.09.2018.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|----------------------------------|-------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Clay Bricks | 04 | 100/- | 400=00 |
| | Water Absorption | 04 | 100/- | 400=00 |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 800=00 |
| Rupees Eight Hundred only | | | | |

Received with thanks from The Deputy Executive Engineer/Civil, Civil TLC Sub Division, A.P. Transco, Transco Nilayam, Kadapa, a sum of **Rs.800=00** (Rupees Eight Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head

Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18158 (E)

Bill for Testing Charges

Name of the work: Testing of M20 Concrete Cube samples – Civil TLC Sub-Division/Kadapa – Supply, Erection, Testing and Commissioning of 132/33KVSS C.Orampadu in YSR Kadapa Dist. - Reg.

Ref: Your Lr.No.Dy.EE/CIVIL/TLC/SD/KDP/F.No.Kalasapadu SS/D.No.519/18,
dated 20.09.2018.

-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 09 | 100/- | 900=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 900=00 |
| Rupees Nine Hundred only | | | | |

Received with thanks from The Deputy Executive Engineer/Civil, Civil TLC Sub Division, A.P. Transco, Transco Nilayam, Kadapa, a sum of **Rs.900=00** (Rupees Nine Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head

Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18161

Bill for Testing Charges

Name of the work: Testing of M30 Concrete Cube samples – Compressive Strength of Concrete Cubes - Reg.

Ref: Your Lr.No.NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|-----------------------------------|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 12 | 100/- | 1200=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 1200=00 |
| Rupees Twelve Hundred only | | | | |

Received with thanks from Mtnuthula palli, Pulivendula, a sum of **Rs.1200=00**
(Rupees Twelve Hundred only) towards the testing charges.

Yours faithfully,


HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18200

Bill for Testing Charges

Name of the work: Testing of M25 Concrete Cube samples - 28 days – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|----------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 3 | 100/- | 300=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 300=00 |
| Rupees Three Hundred only | | | | |

Received with thanks from M/s. Matrix Security and Surveillance Pvt. Ltd., Madhapur, Hyderabad, a sum of **Rs.300=00** (Rupees Three Hundred only) towards the testing charges.

Yours faithfully,


HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18212 (A)

Bill for Testing Charges

Name of the work: Testing of M15 Concrete Cube samples – Construction of Bomb Cooling Pit and Providing Approach Road to Bomb Cooling pit and Fire pit and Minor Capital Works such has provision of Emergency Exit Ladder, Concrete Road in front of Snack Bar, Balance Kerb stone laying in Roads at Kadapa Airport - Reg.

Ref: Your Lr.No. NIL, dated 27.10.2018
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|----------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 3 | 100/- | 300=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 300=00 |
| Rupees Three Hundred only | | | | |

Received with thanks from The DGM (Engg-Civil), AAI, Kadapa Airport, Kadapa, a sum of Rs.300=00 (Rupees Three Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head

Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18217

Bill for Testing Charges

Name of the work: Testing of Concrete Cube samples – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|-----------------------------------|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 12 | 100/- | 1200=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 1200=00 |
| Rupees Twelve Hundred only | | | | |

Received with thanks from The Deputy Executive Engineer, RWS&S Sub Division, Mydukur, a sum of **Rs.1200=00** (Rupees Twelve Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/18177

Bill for Testing Charges

Name of the work: Testing of Flyash Blocks samples – Nirmithi Kendra, Kadapa -
Testing of FSC Blocks – Kadapa- Reg.

Ref: Your Rc.No.NK/Testing of FSC Blocks/2016-17, dated 29.10.2018.

-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Flyash Blocks | 04 | 100/- | 400=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 400=00 |
| Rupees Four Hundred only | | | | |

Received with thanks from The Deputy Executive Engineer (H), APSHCL, Nirmithi Kendra, Kadapa, a sum of **Rs.400=00** (Rupees Six Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/ 18071

Bill for testing Charges

Name of the Work: Testing of Soil Sample - Reg.

Ref: Your Lr.No. NIL, Dated NIL.

-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|---------------------|----------------|------------|-----------------|
| 1. | Soil classification | 01 | 1000/- | 1000=00 |
| 2. | Consistency limits | 01 | 650/- | 650=00 |
| 3. | Bearing capacity | 03 | 1000/- | 3000=00 |
| | Visiting Charges | | | 1000=00 |
| | | | | |
| | | | | |
| | | Total | | 5,650=00 |
| Rupees Five Thousand Six Hundred Fifty only | | | | |
| | | | | |

Received with thanks from Sri K. Raghava Reddy, Survey No.348/8, Alankhan Palli, Kadapa, a sum of **Rs.5,650=00** (Rupees Five Thousand Six Hundred Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/ 18096

Bill for testing Charges

Name of the Work: Testing of Soil Sample - GNSS – Package-II-A of Phase-I – Formation of embankment for Sarvaraja sagar Reservoir – Soils collected at S.No.752/7 of Kommaddi village and samples of B.C. Soils collected from S.Nos. 52 to 56, 70-1, 71-1 and 72-1 of North Palagiri village of V.N. Palli Mandal - Reg.

Ref: Your Lr.No.EE/GNSS/KDP/DB/GNSS Ph-I/Pac-II/Camp, Dated 28.03.2018
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|--|---------------------------|----------------|------------|------------------|
| 1. | Grain size analysis | 02 | 1000/- | 2000=00 |
| 2. | Atterberg Limits | 02 | 650/- | 1300=00 |
| 3. | Shrinkage Limit | 02 | 300/- | 600=00 |
| 4. | Proctor Compaction | 02 | 750/- | 1500=00 |
| 5. | Shear strength parameters | 04 | 1000/- | 4000=00 |
| 6. | Permeability | 02 | 1000/- | 2000=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | Total | | 11,400=00 |
| Rupees Eleven Thousand Four Hundred only | | | | |

Received with thanks from M/s. Coramandel Infrastructure (P) Limited, Hyderabad camp at Kolavali (V), Kadapa Dist., a sum of **Rs.11,400=00** (Rupees Eleven Thousand Four Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head

Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/ 18106

Bill for testing Charges

Name of the Work: Testing of Soil Samples - M.I. Division, Kadapa – Formation of percolation Tank across Alegallu Vanka near Murarichintala (V) in Lingala (M) of Y.S.R. Kadapa District - Reg.

Ref: Your Lr.No. 105^M, Dated 04.06.2018.

-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|------------------------|----------------|------------|-----------------|
| 1. | Classification of Soil | 02 | 1000/- | 2000=00 |
| 2. | Consistency limits | 02 | 750/- | 1500=00 |
| 3. | Compaction | 02 | 650/- | 1300=00 |
| | | | | |
| | | | | |
| | | Total | | 4,800=00 |
| Rupees Four Thousand Eight Hundred only | | | | |
| | | | | |

Received with thanks from Sri D. Venkateswara Rao, Dy. Executive Engineer, M.I. Sub-Division, Kadapa, a sum of **Rs.4,800=00** (Rupees Four Thousand Eight Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/ 18207

Bill for testing Charges

Name of the Work: Testing of Soil Samples – APEWIDC Kadapa Sub-Division,
Y.S.R. District - Construction of Health Centre to Yogi
Vemana University at Kadapa - Reg.

Ref: Your Lr.No.10/AEE/2018-19, dated 11.12.2018.

-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|----------------------------|-----------------------|----------------|------------|-----------------|
| 1. | Safe Bearing Capacity | 03 | 1000/- | 3000=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | Total | | 3,000=00 |
| Rupees Three Thousand only | | | | |

Received with thanks from Sri S. Anwar Basha, Asst. Exe. Engineer, APEWIDC, Kadapa, a sum of **Rs.3,000=00** (Rupees Three Thousand only) towards the testing charges.

Yours faithfully,

HEAD

Head

Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19201

Bill for Testing Charges

Name of the work: Testing of Red Bricks and Sieve Analysis of 20mm samples – TTD Engg Dept – Dy. EE (Vontimitta) – Sub-Division Tirumala – Development of Kalyanavedika and Extension of Vedika area at Vontimitta in Kadapa District - Reg.

Ref: Your Lr.Roc.No. Pdl/AEE(Vontimitta)/DyEE(Vontimitta)/Tml/2018 dated 30.10.2019.

-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|--|------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Red Bricks | 6 | 150/- | 900=00 |
| 2. | Water Absorption | 3 | 150/- | 450=00 |
| 3. | Sieve Analysis 20mm Aggregate | 1 | 500/- | 500=00 |
| | | | | |
| | | | | |
| | Total | | | 1950=00 |
| Rupees One Thousand Nine Hundred Fifty only | | | | |

Received with thanks from Sri P. Venugopal Naidu, Contractor, a sum of **Rs.1950=00** (Rupees One Thousand Nine Hundred Fifty only) towards the testing charges.

Yours faithfully,

HEAD



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19210

Bill for Testing Charges

Name of the work: Testing of Red Bricks and Water absorption samples –
Construction of building at opposite Old Navatha Transport,
Near RTC Bus stand, Kadapa - Reg.

Ref: Your Lr.No. NIL, dated 14.11.2019.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Red Bricks | 9 | 150/- | 1350=00 |
| 2. | Water Absorption | 9 | 150/- | 1350=00 |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 2700=00 |
| Rupees Two Thousand Seven Hundred only | | | | |

Received with thanks from Dr. T. Dinakar Reddy, Surya Hospital, Kadapa, a sum of **Rs.2700=00** (Rupees Two Thousand Seven Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003 (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19012

Bill for Testing Charges

Name of the work: Testing of M20 Concrete Cubes and Steel samples –
Construction of infrastructure facilities to Govt. Junior
College at Pendlimarri, Kadapa Dist. - Reg.

Ref: Your Lr.No.NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|---|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cubes | 30 | 150/- | 4500=00 |
| 2. | Steel 8mm, 10mm, 12mm, 16mm, 20mm, 25mm | 06 | 600/- | 3600=00 |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 8100=00 |
| Rupees Eight thousand One hundred only | | | | |

Received with thanks from M. Udaya Harika, Civil Contractor, NGO Colony, Kadiri, a sum of **Rs.8100=00** (Rupees Eight thousand One hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003 (D)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19014

Bill for Testing Charges

Name of the work: Testing of CC Block samples –Construction of Real time governance service building at Kadapa - Reg.

Ref: Your Lr.No.NIL, dated NIL.
00000

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|----------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of CC Block | 3 | 150/- | 450=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 450=00 |
| Rupees Four Hundred and Fifty only | | | | |

Received with thanks from The District Command Control Centre, Railway Colony, Kadapa, a sum of **Rs.450=00** (Rupees Four Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19020

Bill for Testing Charges

Name of the work: Testing of M30 Concrete Cube samples – Augmentation of SVS at Indiramma Colony, H/o Kakularampalli of Piler (M), Chittoor Dist. - Reg.

Ref: Your Lr.No.NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------|--|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cubes | 6 | 150/- | 900=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 900=00 |
| Rupees Nine hundred only | | | | |

Received with thanks from The Deputy Executive Engineer, RWS&S Sub Divison, Piler, a sum of **Rs.900=00** (Rupees Nine hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19021

Bill for Testing Charges

Name of the work: Testing of 20M35 Cube samples – Sree Satya Sreenivasa Mall & Multiplex at Door No.7/830 & 834, Korrapadu Road, Proddatur Town, Kadapa Dist. - Reg.

Ref: Your Lr.No.SSB/SSSMM/B-1/Screen 4/PTB/testing/2019,
Dated 07.02.2019
00000

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------------|--|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cubes | 3 | 150/- | 450=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 450=00 |
| Rupees Four hundred Fifty only | | | | |

Received with thanks from Sree Satyanarayana Builders, 7/834, Korrapadu Road, Proddatur, a sum of **Rs.450=00** (Rupees Four hundred Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003 (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19026

Bill for Testing Charges

Name of the work: Testing of M25 Concrete Cube samples - 28 days – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 12 | 150/- | 1800=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 1800=00 |
| Rupees One Thousand and Eight Hundred only | | | | |

Received with thanks from M/s. Matrix Security and Surveillance Pvt. Ltd., Madhapur, Hyderabad, a sum of **Rs.1800=00** (Rupees One Thousand and Eight Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19028 (B)

Bill for Testing Charges

Name of the work: Testing of M25 Concrete Cube samples - TTD Engg. Dept.- Dy. EE (Vontimitta) – Sub-Division – Tirumala – “Construction of Pilgrims Waiting Hall & counters block at Sri Kodanda Rama Swamy Temple at Vontimitta, Kadapa District” – Reg.

Ref: Your Roc.No.Pdl/AEE(Vontimitta)/DyEE(Vontimitta)/Tml/2018, dated 15.02.2019.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 09 | 150/- | 1350=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 1350=00 |
| Rupees One Thousand Three Hundred and Fifty only | | | | |

Received with thanks from M/s. Sai Power Constructions, Hyderabad, a sum of **Rs.1350=00** (Rupees One Thousand Three Hundred and Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19035

Bill for Testing Charges

Name of the work: Testing of M25 Concrete Cube samples - PRI – Kadapa –
Construction of V.P.C. Building at Kadapa – Reg.

Ref: Your Lr.No.AEE/PRI/SO/Kadapa/2018-19, dated 09.11.2018.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 12 | 150/- | 1800=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 1800=00 |
| Rupees One Thousand Eight Hundred only | | | | |

Received with thanks from The Assistant Executive Engineer, PRI Sub division, Kamalapuram, a sum of **Rs.1800=00** (Rupees One Thousand Eight Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19042

Bill for Testing Charges

Name of the work: Testing of M25 Concrete Cube samples - Reg.

Ref: Your Lr.No. NIL, dated NIL.

-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 06 | 150/- | 900=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 900=00 |
| Rupees Nine Hundred only | | | | |

Received with thanks from Sri K. Hemasundar Reddy, Sterling and Wilsen Pvt. Ltd., 250MW Solar Project, N.P. Kunta, Anantapur, a sum of **Rs.900=00** (Rupees Nine Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19044

Bill for Testing Charges

Name of the work: Testing of M25 Concrete Cube samples - TTD Engg. Dept.- Dy. EE (Vontimitta) – Sub division – Tirumala – Construction of Offices & Accommodation block near Sri Kodanda Ramaswamy Temple at Vontimitta in Kadapa District” – Reg.

Ref: Your Lr.No.NIL, dated 16.03.2019.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 03 | 150/- | 450=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 450=00 |
| Rupees Four Hundred Fifty only | | | | |

Received with thanks from The Deputy Executive Engineer, Vontimitta, TTD, Tirumala, a sum of **Rs.450=00** (Rupees Four Hundred Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19045

Bill for Testing Charges

Name of the work: Testing of M30 Concrete Cube samples – To construct 40KL “OHRs” Tank in Azad Nagar of C.K. Dinne Mandal, Kadapa District” – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 36 | 150/- | 5400=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 5400=00 |
| Rupees Five Thousand Four Hundred only | | | | |

Received with thanks from The Deputy Executive Engineer, RWS&S Sub division, Kadapa, a sum of **Rs.5400=00** (Rupees Five Thousand Four Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19052

Bill for Testing Charges

Name of the work: Testing of M30 Concrete Cube samples – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 30 | 150/- | 4500=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 4500=00 |
| Rupees Four Thousand Five Hundred only | | | | |

Received with thanks from Sathiapal Engineers (Ind) Ltd., C/o India Cements Ltd., Chilamkur, a sum of Rs.4500=00 (Rupees Four Thousand Five Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003 (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19053

Bill for Testing Charges

Name of the work: Testing of M15 Concrete Cube samples – Construction of Additional parking bay for A-320 (Category-C) type of Aircrafts at Kadapa Airport – Reg.

Ref: Your Lr.No.AAI/Kadapa/DGM(E-C)/Parking Bay/2018-19, date 02.03.2019
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 3 | 150/- | 450=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 450=00 |
| Rupees Four Hundred Fifty only | | | | |

Received with thanks from M/s. Eshyan Infratech, D.No.8/24, Road No.5, Sri Vijaya Durga colony, Kadapa, a sum of **Rs.450=00** (Rupees Four Hundred Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head

Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19054

Bill for Testing Charges

Name of the work: Testing of M30 Concrete Cube samples – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 24 | 150/- | 3600=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 3600=00 |
| Rupees Three Thousand Six Hundred only | | | | |

Received with thanks from Sathiapal Engineers (Ind) Ltd., C/o India Cements Ltd., Chilamkur, a sum of **Rs.3600=00** (Rupees Three Thousand Six Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19066

Bill for Testing Charges

Name of the work: Testing of M35 Grade Concrete Blocks samples – Construction of Function hall at Batchampalli, Kurnool Tirupati Bye Pass Road (Ring Road), Kadapa - Reg.

Ref: Your Lr.No. NIL, dated 17.04.2019.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 3 | 150/- | 450=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 450=00 |
| Rupees Four Hundred Fifty only | | | | |

Received with thanks from D. Shankaraiah, DSR Function Hall, Batchampalli, Kurnool Tirupathi Bye pass road (Ring Road), Kadapa, a sum of **Rs.450=00** (Rupees Four Hundred Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19070 (A)

Bill for Testing Charges

Name of the work: Testing of M30 Grade Concrete Cubes samples – 28 days -
Reg.

Ref: Your Lr.No. NIL, dated 23.04.2019.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|--|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 24 | 100/- | 2400=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 2400=00 |
| Rupees Two Thousand Four Hundred only | | | | |

Received with thanks from Sathiapal Engineers (Ind) Ltd., RCL Site, Chilamkur, Kadapa Dist., a sum of Rs.2400=00 (Rupees Two Thousand Four Hundred only) towards the testing charges.

Yours faithfully,


HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19087

Bill for Testing Charges

Name of the work: Testing of M20 Grade Concrete samples – Construction of Function hall at Batchampalli, Kurnool – Tirupathi Bye pass Road (Ring Road), Kadapa - Reg.

Ref: Your Lr.No. NIL, dated 11.05.2019.
00000

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 3 | 150/- | 450=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 450=00 |
| Rupees Four Hundred Fifty only | | | | |

Received with thanks from Sri D. Shankariah, DSR Function Hall, Batchampalli, Kurnool-Tirupathi Bye pass Road (Ring Road), Kadapa, a sum of **Rs.450=00** (Rupees Four Hundred Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19091

Bill for Testing Charges

Name of the work: Testing of M30 Grade Concrete samples – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|--|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 24 | 100/- | 2400=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 2400=00 |
| Rupees Two Thousand Four Hundred only | | | | |

Received with thanks from M/s. Sathiapal Engineers (I) Ltd., ICL site, Chilamkur, a sum of Rs.2400=00 (Rupees Two Thousand Four Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19098

Bill for Testing Charges

Name of the work: Testing of M20 Concrete Cubes samples – Construction of Factory Barrack at Central prison, Kadapa of Y.S.R. District - Reg.

Ref: Your Lr.No.DEE/PHC/KDP/Factory Barrack/C.P/2019-20/, dated 18.12.2018.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------------|--|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cubes | 03 | 150/- | 450=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 450=00 |
| Rupees Four Hundred Fifty only | | | | |

Received with thanks from The Deputy Executive Engineer, A.P.S.P.H.C. Ltd., Kadapa, a sum of **Rs.450=00** (Rupees Four hundred Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19106

Bill for Testing Charges

Name of the work: Testing of M30 Concrete Cube samples – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|--|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 42 | 100/- | 4200=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 4200=00 |
| Rupees Four Thousand Two Hundred only | | | | |

Received with thanks from Sathiapal Engineers (Ind) Ltd., C/o India Cements Ltd., Chilamkur, a sum of **Rs.4200=00** (Rupees Four Thousand Two Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19120

Bill for Testing Charges

Name of the work: Testing of M25 Concrete Cube samples – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 6 | 150/- | 900=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 900=00 |
| Rupees Nine Hundred only | | | | |

Received with thanks from M/s. Matrix Security & Surveillance Pvt. Ltd., Kavuri Hills, Madhapur, Hyderabad, a sum of **Rs.900=00** (Rupees Nine Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19121

Bill for Testing Charges

Name of the work: Testing of M30 Concrete Cube samples – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|--------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 6 | 100/- | 600=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 600=00 |
| Rupees Six Hundred only | | | | |

Received with thanks from Sathiapal Engineers (I) Ltd., ICL site, Chilamkur, a sum of Rs.600=00 (Rupees Six Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19129

Bill for Testing Charges

Name of the work: Testing of M30 Concrete Cube samples – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|--------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 6 | 100/- | 600=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 600=00 |
| Rupees Six Hundred only | | | | |

Received with thanks from Sathiapal Engineers (I) Ltd., ICL site, Chilamkur, a sum of Rs.600=00 (Rupees Six Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19130

Bill for Testing Charges

Name of the work: Testing of M30 Concrete Cube samples – Reg.

Ref: Your Lr.No. NIL, dated NIL.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 18 | 100/- | 1800=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 1800=00 |
| Rupees One Thousand Eight Hundred only | | | | |

Received with thanks from Sathiapal Engineers (I) Ltd., ICL site, Chilamkur, a sum of **Rs.1800=00** (Rupees One Thousand Eight Hundred only) towards the testing charges.

Yours faithfully,

HEAD

Head

Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19133

Bill for Testing Charges

Name of the work: Testing of M20 Concrete Cube samples – Proposed Interlocking of LC gates in Guntakal Division - Reg.

Ref: Your Agt.No. B/SG/P/Agt.3/2016-17, dt.18.09.2016.

-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 09 | 150/- | 1350=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 1350=00 |
| Rupees One Thousand Three Hundred Fifty only | | | | |

Received with thanks from the Senior Section Engineer, Works/S&T Projects, S.C. Railway, Vijayawada, a sum of **Rs.1350=00** (Rupees One Thousand Three Hundred Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19135

Bill for Testing Charges

Name of the work: Testing of M25 Concrete Cube samples – TTD Engg. Dept. – Dy.EE (Vontimitta) – Sub-Division Tirumala – Development of Kalyanavedia and extension of vedika area at Vontimitta in Kadapa District - Reg.

Ref: Your Roc.No. Pdl/AEE(Vontimitta)/DyEE(Vontimitta)/Tml/2018, Dt.12-07-2019
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---------------------------------------|---------------------------------------|----------------|------------|---------------|
| 1. | Compressive Strength of Concrete Cube | 3 | 150/- | 450=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 450=00 |
| Rupees Four Hundred Fifty only | | | | |

Received with thanks from Sri P. Venugopal Naidu, Tirupati, a sum of **Rs.450=00** (Rupees Four Hundred Fifty only) towards the testing charges.

Yours faithfully,


HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)



Department of Civil Engineering
KSRM College of Engineering
Kadapa – 516 003

KSRM/CE/F301/19138

Bill for Testing Charges

Name of the work: Testing of M35 Grade Concrete Cube samples – Construction of Function hall at Batchampalli, Kurnool – Tirupathi Bye pass Road (Ring Road), Kadapa - Reg.

Ref: Your Lr.No. NIL, date: 21.04.2019.
-oo0oo-

| S.No | Name of the test | No. of Samples | Rate (Rs.) | Amount (Rs.) |
|---|---------------------------------------|----------------|------------|----------------|
| 1. | Compressive Strength of Concrete Cube | 21 | 150/- | 3150=00 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Total | | | 3150=00 |
| Rupees Three Thousand One Hundred Fifty only | | | | |

Received with thanks from Sri D. Shankariah, DSR Function Hall, Batchampalli, Kurnool-Tirupathi Bye pass Road (Ring Road), Kadapa, a sum of **Rs.3150=00** (Rupees Three Thousand One Hundred Fifty only) towards the testing charges.

Yours faithfully,

HEAD

Head
Department of Civil Engineering
K.S.R.M. College of Engineering
(Autonomous)
KADAPA - 516 003. (A.P.)